

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Description:** Copper (II) chloride dihydrate  
**Cat No. :** C/7960/60, C/7960/48  
**Synonyms** Cupric chloride dihydrate  
**CAS No** 10125-13-0  
**Molecular Formula** Cl<sub>2</sub> Cu . 2 H<sub>2</sub> O  
**REACH registration number** - (for the anhydrous form)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

**UK entity/business name**  
Fisher Scientific UK  
Bishop Meadow Road, Loughborough,  
Leicestershire LE11 5RG, United Kingdom

**EU entity/business name**  
Thermo Fisher Scientific  
Janssen Pharmaceuticaaan 3a  
2440 Geel, Belgium

**E-mail address** [begin.sdsdesk@thermofisher.com](mailto:begin.sdsdesk@thermofisher.com)

### 1.4. Emergency telephone number

Tel: 01509 231166  
Chemtrec US: (800) 424-9300  
Chemtrec EU: 001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### Physical hazards

Based on available data, the classification criteria are not met

#### Health hazards

# SAFETY DATA SHEET

Copper (II) chloride dihydrate

Revision Date 19-Oct-2023

Acute oral toxicity  
Acute dermal toxicity  
Skin Corrosion/Irritation  
Serious Eye Damage/Eye Irritation

Category 4 (H302)  
Category 4 (H312)  
Category 2 (H315)  
Category 1 (H318)

## **Environmental hazards**

Acute aquatic toxicity  
Chronic aquatic toxicity

Category 1 (H400)  
Category 2 (H411)

Full text of Hazard Statements: see section 16

## **2.2. Label elements**



Signal Word

Danger

## **Hazard Statements**

H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H302 + H312 - Harmful if swallowed or in contact with skin  
H400 - Very toxic to aquatic life  
H411 - Toxic to aquatic life with long lasting effects

## **Precautionary Statements**

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P332 + P313 - If skin irritation occurs: Get medical advice/attention  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

## **2.3. Other hazards**

Toxicity to Soil Dwelling Organisms  
Toxic to terrestrial vertebrates  
This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.1. Substances**

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Copper (II) chloride dihydrate	10125-13-0		>95	Acute Tox. 4 (H302)

# SAFETY DATA SHEET

Copper (II) chloride dihydrate

Revision Date 19-Oct-2023

				Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)
Cupric chloride	7447-39-4	EEC No. 231-210-2	-	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Eye dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Cupric chloride	-	Acute = 10 Chronic = 1	-

<b>REACH registration number</b>	- (for the anhydrous form)
----------------------------------	----------------------------

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>General Advice</b>	If symptoms persist, call a physician.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
<b>Inhalation</b>	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes severe eye damage. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Extinguishing media which must not be used for safety reasons

# SAFETY DATA SHEET

Copper (II) chloride dihydrate

Revision Date 19-Oct-2023

No information available.

## **5.2. Special hazards arising from the substance or mixture**

Corrosive material. Non-combustible. Thermal decomposition can lead to release of irritating gases and vapors. Do not allow run-off from fire-fighting to enter drains or water courses.

### **Hazardous Combustion Products**

Copper oxides, Hydrogen chloride gas.

## **5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

### **6.2. Environmental precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

### **6.3. Methods and material for containment and cleaning up**

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

### **6.4. Reference to other sections**

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### **7.2. Conditions for safe storage, including any incompatibilities**

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Store contents under argon. Corrosives area. Do not store in metal containers. Store under an inert atmosphere. Protect from moisture.

**Technical Rules for Hazardous Substances (TRGS) 510**      Class 13  
**Storage Class (LGK) (Germany)**

# SAFETY DATA SHEET

Copper (II) chloride dihydrate

Revision Date 19-Oct-2023

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s):

Component	The United Kingdom	European Union	Ireland
Copper (II) chloride dihydrate	STEL: 2 mg/m <sup>3</sup> 15 min TWA: 1 mg/m <sup>3</sup> 8 hr		
Cupric chloride	STEL: 2 mg/m <sup>3</sup> 15 min TWA: 1 mg/m <sup>3</sup> 8 hr		

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See values below

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Copper (II) chloride dihydrate 10125-13-0 (>95)		137 mg/kg/day		
Cupric chloride 7447-39-4 (-)				137 mg/kg

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Copper (II) chloride dihydrate 10125-13-0 (>95)	1 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>		
Cupric chloride 7447-39-4 (-)			1 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Copper (II) chloride dihydrate 10125-13-0 (>95)	7.8 µg/L	87 mg/kg			65 mg/kg
Cupric chloride 7447-39-4 (-)	7.8 µg/L	87 mg/kg		230 µg/L	65 mg/kg

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Copper (II) chloride dihydrate 10125-13-0 (>95)	5.2 µg/L	676 mg/kg			
Cupric chloride 7447-39-4 (-)	5.2 µg/L	676 mg/kg			

# SAFETY DATA SHEET

Copper (II) chloride dihydrate

Revision Date 19-Oct-2023

## 8.2. Exposure controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

**Skin and body protection** Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**Large scale/emergency use** Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Small scale/Laboratory use** Maintain adequate ventilation

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	Solid	
<b>Appearance</b>	Blue green	
<b>Odor</b>	Odorless	
<b>Odor Threshold</b>	No data available	
<b>Melting Point/Range</b>	598 °C / 1108.4 °F	
<b>Softening Point</b>	No data available	
<b>Boiling Point/Range</b>	993 °C / 1819.4 °F	
<b>Flammability (liquid)</b>	Not applicable	Solid
<b>Flammability (solid,gas)</b>	Not flammable	
<b>Explosion Limits</b>	No data available	
<b>Flash Point</b>	No information available	<b>Method</b> - No information available
<b>Autoignition Temperature</b>	Not applicable	

# SAFETY DATA SHEET

Copper (II) chloride dihydrate

Revision Date 19-Oct-2023

Decomposition Temperature	110 °C	
pH	3.0-3.8	
Viscosity	Not applicable	Solid
Water Solubility	1150 g/L (20°C)	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Vapor Pressure	No data available	
Density / Specific Gravity	2.54 (H <sub>2</sub> O=1)	
Bulk Density	1.07 kg/m <sup>3</sup>	
Vapor Density	Not applicable	Solid
Particle characteristics	No data available	

## 9.2. Other information

Molecular Formula	Cl <sub>2</sub> Cu . 2 H <sub>2</sub> O
Molecular Weight	170.48
Oxidizing Properties	Not oxidising
Evaporation Rate	Not applicable - Solid

## SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity** None known, based on information available

**10.2. Chemical stability** Hygroscopic.

### 10.3. Possibility of hazardous reactions

**Hazardous Polymerization** Hazardous polymerization does not occur.  
**Hazardous Reactions** None under normal processing.

**10.4. Conditions to avoid** Avoid dust formation. Incompatible products. Excess heat. Exposure to moist air or water.

**10.5. Incompatible materials** Strong oxidizing agents. Metals.

**10.6. Hazardous decomposition products** Copper oxides. Hydrogen chloride gas.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

(a) acute toxicity;	
Oral	Category 4
Dermal	Category 4
Inhalation	No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cupric chloride	584 mg/kg ( Rat )	1224 mg/kg (Rat)	-

# SAFETY DATA SHEET

Copper (II) chloride dihydrate

Revision Date 19-Oct-2023

- (b) skin corrosion/irritation; Category 2
  
- (c) serious eye damage/irritation; Category 1
  
- (d) respiratory or skin sensitization;
  - Respiratory No data available
  - Skin No data available
  
- (e) germ cell mutagenicity; No data available
  
- (f) carcinogenicity; No data available  
 There are no known carcinogenic chemicals in this product
  
- (g) reproductive toxicity; No data available
  
- (h) STOT-single exposure; No data available
  
- (i) STOT-repeated exposure; No data available  
 Target Organs No information available.
  
- (j) aspiration hazard; Not applicable  
 Solid

**Symptoms / effects, both acute and delayed** Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

**11.2. Information on other hazards**

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1. Toxicity**

**Ecotoxicity effects**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Cupric chloride	LC50: 0.120-0.130 mg/L/96h (Carp) LC50: 0.9 mg/L/96h (Bluegill sunfish) LC50: 0.08 mg/L/96h (Rainbow trout)	EC50: 0.04 mg/L/48h	EC50: 0.12 - 0.2 mg/L/96h

Component	Microtox	M-Factor
Copper (II) chloride dihydrate	= 0.16 mg/L EC50 Photobacterium phosphoreum 30 min as Cu++ = 0.27 mg/L EC50 Photobacterium phosphoreum	



# SAFETY DATA SHEET

Copper (II) chloride dihydrate

Revision Date 19-Oct-2023

	15 min as Cu <sup>++</sup> = 1.29 mg/L EC50 Photobacterium phosphoreum 5 min as Cu <sup>++</sup>	
Cupric chloride		Acute = 10 Chronic = 1

**12.2. Persistence and degradability** Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary  
**Persistence**  
**Degradability**  
**Degradation in sewage treatment plant** May persist, based on information available.  
Not relevant for inorganic substances.  
Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**12.3. Bioaccumulative potential** May have some potential to bioaccumulate

**12.4. Mobility in soil** The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

**12.5. Results of PBT and vPvB assessment** No data available for assessment.

**12.6. Endocrine disrupting properties**  
**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**12.7. Other adverse effects**  
**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products** Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

**Other Information** Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

**14.1. UN number** UN2802

FSUC7960

# SAFETY DATA SHEET

Copper (II) chloride dihydrate

Revision Date 19-Oct-2023

**14.2. UN proper shipping name** COPPER CHLORIDE  
**14.3. Transport hazard class(es)** 8  
**14.4. Packing group** III

**ADR**

**14.1. UN number** UN2802  
**14.2. UN proper shipping name** COPPER CHLORIDE  
**14.3. Transport hazard class(es)** 8  
**14.4. Packing group** III

**IATA**

**14.1. UN number** UN2802  
**14.2. UN proper shipping name** COPPER CHLORIDE  
**14.3. Transport hazard class(es)** 8  
**14.4. Packing group** III

**14.5. Environmental hazards** Dangerous for the environment  
 Product is a marine pollutant according to the criteria set by IMDG/IMO

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Copper (II) chloride dihydrate	10125-13-0	-	-	-	X	X	-	-	-
Cupric chloride	7447-39-4	231-210-2	-	-	X	X	KE-08923	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Copper (II) chloride dihydrate	10125-13-0	-	-	-	-	X	X	X
Cupric chloride	7447-39-4	X	ACTIVE	X	-	X	X	X

**Legend:** X - Listed '-' - Not Listed **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**Authorisation/Restrictions according to EU REACH** Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Copper (II) chloride dihydrate	10125-13-0	-	-	-
Cupric chloride	7447-39-4	-	-	-

**Seveso III Directive (2012/18/EC)**

# SAFETY DATA SHEET

Copper (II) chloride dihydrate

Revision Date 19-Oct-2023

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Copper (II) chloride dihydrate	10125-13-0	Not applicable	Not applicable
Cupric chloride	7447-39-4	Not applicable	Not applicable

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Cupric chloride	WGK3	

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed  
H312 - Harmful in contact with skin  
H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H400 - Very toxic to aquatic life  
H411 - Toxic to aquatic life with long lasting effects

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

# SAFETY DATA SHEET

Copper (II) chloride dihydrate

Revision Date 19-Oct-2023

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/MDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Chemical incident response training.

<b>Creation Date</b>	28-Nov-2010
<b>Revision Date</b>	19-Oct-2023
<b>Revision Summary</b>	Not applicable.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**