

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 24-Feb-2024

**Revision Number** 3

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Thallium rod
00888
081-001-00-3
7440-28-0

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

#### 1.3. Details of the supplier of the safety data sheet

#### Company

	(Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
E-mail address	begel.sdsdesk@thermofisher.com
1.4. Emergency telephone number	For information <b>US</b> call: 001-800-227-6701 / <b>Europe</b> call: +32 14 57 52 11 Emergency Number <b>US</b> :001-201-796-7100 / <b>Europe:</b> +32 14 57 52 99 <b>CHEMTREC</b> Tel. No. <b>US</b> :001-800-424-9300 / <b>Europe:</b> 001-703-527-3887

Avocado Research Chemicals Ltd.

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

#### CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### Physical hazards

Based on available data, the classification criteria are not met

### Health hazards

Acute oral toxicity Acute Inhalation Toxicity - Dusts and Mists Category 2 (H300) Category 2 (H330)

#### Thallium rod

Revision Date 24-Feb-2024

Specific target organ toxicity - (repeated exposure)


#### **Environmental hazards**

Chronic aquatic toxicity

Category 2 (H373)

Category 4 (H413)

Full text of Hazard Statements: see section 16



Signal Word

Danger

#### **Hazard Statements**

- H373 May cause damage to organs through prolonged or repeated exposure
- H413 May cause long lasting harmful effects to aquatic life
- H300 + H330 Fatal if swallowed or if inhaled

#### **Precautionary Statements**

- P264 Wash face, hands and any exposed skin thoroughly after handling
- P330 Rinse mouth
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P310 Immediately call a POISON CENTER or doctor/physician
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed

#### 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Thallium	7440-28-0	EEC No. 231-138-1	<=100	Acute Tox. 2 (H300) Acute Tox. 2 (H330) STOT RE 2 (H373) Aquatic Chronic 4 (H413)

Full text of Hazard Statements: see section 16

**SECTION 4: FIRST AID MEASURES** 

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
4.2. Most important symptoms and	effects, both acute and delayed
	None reasonably foreseeable.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Thallium rod

Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

approved class D extinguishers. Do not use water or foam.

#### Extinguishing media which must not be used for safety reasons No information available.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

# Hazardous Combustion Products

Thallium oxide.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

#### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information. Avoid release to the

#### Thallium rod

environment. Collect spillage. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510Class 6.1BStorage Class (LGK) (Germany)

#### 7.3. Specific end use(s)

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE -** 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Thallium	TWA: 0.1 mg/m <sup>3</sup>		TWA: 0.02 mg/m <sup>3</sup> 8 hr. Tl
			STEL: 0.06 mg/m <sup>3</sup> 15 min
			Skin

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL) No information available

#### Predicted No Effect Concentration (PNEC)

No information available.

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

ersonal protective eq Eye Protection		fety glasses with side	e shields (or goggles)	(European standard - EN 166)
Hand Protection	Protectiv	ve gloves		
Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	480 minutes	0.11mm	EN 374	(minimum requirement)
Skin and body prot	tection Long sle	eved clothing.		

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	In case of insufficient ventilation, wear suitable respiratory equipment <b>Recommended Filter type:</b> Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State	Solid Granules
Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits	No information available No data available 303.5 °C / 578.3 °F No data available 1457 °C / 2654.6 °F Not applicable No information available No data available
Flash Point	No information available

Solid

Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	No information available	
Viscosity	Not applicable	Solid
Water Solubility	No information available	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/	water)	
Vapor Pressure	23 hPa @ 20 °C	
Density / Specific Gravity	11.85 g/cm3	@ 20 °C
Bulk Density	No data available	
Vapor Density	Not applicable	Solid
Particle characteristics	No data available	

#### 9.2. Other information

Evaporation Rate

Thallium rod

Not applicable - Solid

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reaction	ons
Hazardous Polymerization Hazardous Reactions	No information available. None under normal processing.
10.4. Conditions to avoid	Incompatible products. Excess heat.
10.5. Incompatible materials	Oxidizing agent.

10.6. Hazardous decomposition products

Thallium oxide.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity; Oral Dermal Inhalation	Category 2 No data available Category 2
(b) skin corrosion/irritation;	No data available
(c) serious eye damage/irritation;	No data available

(d) respiratory or skin sensitization; Respiratory No data available

	SAFELL DATA SHEEL	
Thallium rod		Revision Date 24-Feb-2024
Skin	No data available	
(e) germ cell mutagenicity;	No data available	
(f) carcinogenicity;	No data available	
	There are no known carcinogenic chemicals in this product	
(g) reproductive toxicity;	No data available	
(h) STOT-single exposure;	No data available	
(i) STOT-repeated exposure;	Category 2	
Target Organs	Central nervous system (CNS), Liver, Lungs.	
(j) aspiration hazard;	Not applicable Solid	
Symptoms / effects,both acute and delayed	No information available.	
11.2. Information on other hazards		
Endocrine Disrupting Properties	Assess endocrine disrupting properties for human health. T known or suspected endocrine disruptors.	his product does not contain any
SE	ECTION 12: ECOLOGICAL INFORMATION	
<u>12.1. Toxicity</u> Ecotoxicity effects	May cause long-term adverse effects in the environment. D contaminate ground water system.	o not allow material to
12.2. Persistence and degradability Persistence Degradation in sewage treatment plant	Product contains heavy metals. Discharge into the environn pre-treatment is necessary May persist. Contains substances known to be hazardous to the environ water treatment plants.	
12.3. Bioaccumulative potential	Product has a high potential to bioconcentrate	
<u>12.4. Mobility in soil</u>	No information available	
<u>12.5. Results of PBT and vPvB</u> assessment	No data available for assessment.	
12.6. Endocrine disrupting		

properties

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

#### <u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

# 13.1. Waste treatment methodsWaste from Residues/Unused<br/>ProductsWaste is classified as hazardous. Dispose of in accordance with the European Directives<br/>on waste and hazardous waste. Dispose of in accordance with local regulations.Contaminated PackagingDispose of this container to hazardous or special waste collection point.European Waste Catalogue (EWC)According to the European Waste Catalog, Waste Codes are not product specific, but<br/>application specific.Other InformationWaste codes should be assigned by the user based on the application for which the product<br/>was used. Do not empty into drains.

## **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

ADR

Not regulated

Not regulated

Not regulated

14.1. UN number14.2. UN proper shipping name14.3. Transport hazard class(es)14.4. Packing group

14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group

IATA <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>

**<u>14.5. Environmental hazards</u>** No hazards identified

**<u>14.6. Special precautions for user</u>** No special precautions required.

14.7. Maritime transport in bulk Not applicable, packaged goods

according to IMO instruments

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Thallium rod

(AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Thallium	7440-28-0	231-138-1	-	-	Х	Х	KE-33716	Х	-
Component	CAS No	TSCA	TSCA In notific		DSL	NDSL	AICS	NZIoC	PICCS
			Active-	nactive					

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Thallium	7440-28-0	-	Use restricted. See item 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
Thallium	7440-28-0	Not applicable	Not applicable

# Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

#### WGK Classification

Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Thallium		Class I: 0.01 mg/m <sup>3</sup> (Massenkonzentration)

Component	Switzerland - Ordinance on the	Switzerland - Ordinance on	Switzerland - Ordinance of the
	Reduction of Risk from	Incentive Taxes on Volatile	Rotterdam Convention on the
	handling of hazardous	Organic Compounds (OVOC)	Prior Informed Consent
	substances preparation (SR		Procedure

Revision Date 24-Feb-2024

Thallium ro	bd
-------------	----

	814.81)	
Thallium	Prohibited and Restricted	
7440-28-0(<=100)	Substances	

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

**SECTION 16: OTHER INFORMATION** 

#### Full text of H-Statements referred to under sections 2 and 3

H300 - Fatal if swallowed

H330 - Fatal if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H413 - May cause long lasting harmful effects to aquatic life

#### Legend

CAS - Chemical Abstracts Service <b>EINECS/ELINCS</b> - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances <b>PICCS</b> - Philippines Inventory of Chemicals and Chemical Substances <b>IECSC</b> - Chinese Inventory of Existing Chemical Substances <b>KECL</b> - Korean Existing and Evaluated Chemical Substances	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory al DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic	<ul> <li>TWA - Time Weighted Average</li> <li>IARC - International Agency for Research on Cancer</li> <li>Predicted No Effect Concentration (PNEC)</li> <li>LD50 - Lethal Dose 50%</li> <li>EC50 - Effective Concentration 50%</li> <li>POW - Partition coefficient Octanol:Water</li> <li>vPvB - very Persistent, very Bioaccumulative</li> </ul>
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor Key literature references and sources for data https://echa.europa.eu/information-on-chemicals	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared By	Health, Safety and Environmental Department
Revision Date	24-Feb-2024
Revision Summary	New emergency telephone response service provider.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of Safety Data Sheet