

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 31-Jul-2014

Revision Date 18-Mar-2024

Revision Number 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

| Product Description: | Cesium carbonate |
|---------------------------|---|
| Cat No. : | 87635 |
| Synonyms | Carbonic acid, dicesium salt; Dicesium carbonate. |
| CAS No | 534-17-8 |
| EC No | 208-591-9 |
| Molecular Formula | C Cs2 O3 |
| REACH registration number | - |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Recommended Use Sector of use | Laboratory chemicals. SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites |
|----------------------------------|---|
| Product category | PC21 - Laboratory chemicals |
| Process categories | PROC15 - Use as a laboratory reagent |
| Environmental release category | ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) |
| Uses advised against | No Information available |

1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Cesium carbonate

Based on available data, the classification criteria are not met

Health hazards


Serious Eye Damage/Eye Irritation Reproductive Toxicity Specific target organ toxicity - (repeated exposure)

Environmental hazards

Based on available data, the classification criteria are not met

Category 1 (H318) Category 2 (H361f) Category 2 (H373)

Full text of Hazard Statements: see section 16



Signal Word

Danger

Hazard Statements

H318 - Causes serious eye damage H361f - Suspected of damaging fertility H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P280 - Wear protective gloves/protective clothing/eye protection/face protection

2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

| Component | CAS No | EC No | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|------------------|----------|-------------------|----------|---|
| Cesium carbonate | 534-17-8 | EEC No. 208-591-9 | >95 | Eye Dam. 1 (H318) Repr. 2 (H361f) STOT RE 2 (H373) |

| REACH registration number | - |
|---------------------------|---|
|---------------------------|---|

Cesium carbonate

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| General Advice | If symptoms persist, call a physician. | | | | |
|--|--|--|--|--|--|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. | | | | |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. | | | | |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur. | | | | |
| Inhalation | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. | | | | |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. | | | | |
| 4.2. Most important symptoms and effects, both acute and delayed | | | | | |

Causes severe eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons No information available.

5.2. Special hazards arising from the substance or mixture

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors, Carbon oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store under an inert atmosphere.

Technical Rules for Hazardous Substances (TRGS) 510 Class 13 Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See table for values

| Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|--------------------------------------|---------------------------------|------------------------------------|-----------------------------------|-----------------------------------|
| Cesium carbonate 534-17-8 (>95) | | | | DNEL = 2.08mg/kg bw/day |

| Component | Acute effects local | Acute effects | Chronic effects local | Chronic effects |
|-----------|---------------------|---------------|-----------------------|-----------------|
|-----------|---------------------|---------------|-----------------------|-----------------|

Cesium carbonate

| | (Inhalation) | systemic (Inhalation) | (Inhalation) | systemic (Inhalation) |
|------------------|--------------|-----------------------|--------------|-----------------------|
| Cesium carbonate | | | | $DNEL = 0.73 mg/m^3$ |
| 534-17-8 (>95) | | | | _ |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water | Water Intermittent | Microorganisms in | Soil (Agriculture) |
|------------------|-----------------|-----------------|--------------------|-------------------|--------------------|
| | | sediment | | sewage treatment | |
| Cesium carbonate | PNEC = 1.21mg/L | PNEC = 4.7mg/kg | PNEC = 0.916mg/L | PNEC = 97mg/L | PNEC = 0.24mg/kg |
| 534-17-8 (>95) | | sediment dw | | - | soil dw |

| Component | Marine water | Marine water sediment | Marine water intermittent | Food chain | Air |
|------------------|-----------------|--------------------------|------------------------------|------------|-----|
| Cesium carbonate | PNEC = 0.12mg/L | PNEC = 0.47mg/kg | | | |
| 534-17-8 (>95) | | sediment dw | | | |

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Goggles (European standard - EN 166) **Eye Protection**

| Hand Protection | Protectiv | ve gloves | | |
|---|---|----------------------|-----------------------|---|
| Glove material Natural rubber Nitrile rubber Neoprene PVC | Breakthrough time See manufacturers recommendations | Glove thickness - | EU standard EN 374 | Glove comments (minimum requirement) |
| Skin and body prot | tection Long sle | eved clothing. | | |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability. Dexterity. Operational conditions. User susceptibility. e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
|---------------------------------|--|
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted |
| Environmental exposure controls | No information available. |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Physical State | Solid Powder | |
|--|---|-----------------------------------|
| Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits | White Colorless Odorless No data available > 400 °C / > 752 °F No data available No information available Not applicable No information available No data available | Solid |
| Flash Point | No information available | Method - No information available |
| Autoignition Temperature | Not applicable | |
| Decomposition Temperature | 610 °C | <i>"</i> |
| рН | 10-12 | 50 g/l 20°C |
| Viscosity | Not applicable | Solid |
| Water Solubility | 261 g/100ml (20°C) | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/wat | er) | |
| Vapor Pressure | No data available | |
| Density / Specific Gravity | | |
| Bulk Density | No data available | |
| Vapor Density | Not applicable | Solid |
| Particle characteristics | No data available | |
| 9.2. Other information | | |
| | | |

Molecular Formula Molecular Weight Evaporation Rate C Cs2 O3 325.82 Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

| 10.1. Reactivity | None known, based on information available | | |
|---|---|--|--|
| 10.2. Chemical stability | Hygroscopic. | | |
| 10.3. Possibility of hazardous react | tions_ | | |
| Hazardous Polymerization Hazardous Reactions | Hazardous polymerization does not occur. None under normal processing. | | |
| 10.4. Conditions to avoid | Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water. | | |
| 10.5. Incompatible materials | Metals. Acids. | | |

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity; Oral

Inhalation

Dermal

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation | | | |
|--|--|---------------------------------|-----------------|--|--|--|
| Cesium carbonate | LD50 = 2333 mg/kg (Rat) | - | - | | | |
| b) skin corrosion/irritation; | Based on available data, the clas | sification criteria are not met | | | | |
| c) serious eye damage/irritation; | Category 1 | | | | | |
| d) respiratory or skin sensitization; Respiratory Skin | n; Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met | | | | | |
| e) germ cell mutagenicity; | Based on available data, the class | sification criteria are not met | | | | |
| f) carcinogenicity; | Based on available data, the clas | sification criteria are not met | | | | |
| | There are no known carcinogenio | c chemicals in this product | | | | |
| g) reproductive toxicity; Reproductive Effects | Category 2 May impair fertility. | | | | | |
| h) STOT-single exposure; | Based on available data, the classification criteria are not met | | | | | |
| i) STOT-repeated exposure; | Category 2 | | | | | |
| Route of exposure Target Organs | Oral Kidney, Adrenal gland, Adrenal c | ortex. | | | | |
| (j) aspiration hazard; | Not applicable Solid | | | | | |
| Other Adverse Effects | | | | | | |
| Symptoms / effects,both acute and delayed | No information available. | | | | | |

11.2. Information on other hazards

.

| Endocrine Disrupting Properties | Assess endocrine disrupting properties for human health. This product does not contain any |
|---------------------------------|--|
| | known or suspected endocrine disruptors. |

SECTION 12: ECOLOGICAL INFORMATION

Cesium carbonate

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|------------------|----------------------------------|------------------------------|-----------------------------------|
| Cesium carbonate | LC50: >97 mg/l/96H (Danio rerio) | EC50: 91.6 mg/l/48H (Daphnia | EC50: 130 mg/l/72H |
| | | magna) | (Pseudokirchneriella subcapitata) |

| 12.2. Persistence and degradability Persistence Degradability | Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances. |
|--|--|
| 12.3. Bioaccumulative potential | Bioaccumulation is unlikely |
| 12.4. Mobility in soil | The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils |
| 12.5. Results of PBT and vPvB assessment | In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment. |
| <u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information | This product does not contain any known or suspected endocrine disruptors |
| 12.7. Other adverse effects | |

Persistent Organic PollutantThis product does not contain any known or suspected substanceOzone Depletion PotentialThis product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. | | |
|--|--|--|--|
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. | | |
| European Waste Catalogue (EWC) | According to the European Waste Catalog, Waste Codes are not product specific, but application specific. | | |
| Other Information | Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. | | |

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

Not regulated

14.1. UN number14.2. UN proper shipping name14.3. Transport hazard class(es)14.4. Packing group

Not regulated

Cesium carbonate

| 14.1. UN number |
|----------------------------------|
| 14.2. UN proper shipping name |
| 14.3. Transport hazard class(es) |
| 14.4. Packing group |

| ΙΑΤΑ | Not regulated |
|---|----------------------------------|
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u> | |
| 14.5. Environmental hazards | No hazards identified |
| 14.6. Special precautions for user | No special precautions required. |
| 14.7. Maritime transport in bulk according to IMO instruments | Not applicable, packaged goods |

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|------------------|----------|-----------|---------|--------------------|-------|------|----------|-------|-------|
| Cesium carbonate | 534-17-8 | 208-591-9 | - | - | Х | Х | KE-05432 | Х | Х |
| | | | | | | | | | |
| Component | CAS No | TSCA | | ventory ation - | DSL | NDSL | AICS | NZIoC | PICCS |
| | | | Active- | Inactive | | | | | |
| Cesium carbonate | 534-17-8 | Х | ACT | IVE | X | - | Х | Х | Х |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH Not applicable

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | · · · · · · · · · · · | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|------------------|----------|---|-----------------------|---|
| Cesium carbonate | 534-17-8 | - | - | - |

Seveso III Directive (2012/18/EC)

| | Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report |
|---|------------------|----------|---|--|
| | | | Notification | Requirements |
| Γ | Cesium carbonate | 534-17-8 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|------------------|---------------------------------------|-------------------------|
| Cesium carbonate | WGK2 | |

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H318 - Causes serious eye damage

H361f - Suspected of damaging fertility

H373 - May cause damage to organs through prolonged or repeated exposure

Legend

| CAS - Chemical Abstracts Service EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances | Substances List |
|---|--|
| PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances | ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals |
| WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic | TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative |
| ADR - European Agreement Concerning the International Carriage of Dangerous Goods by RoadIMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods CodeOECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factorKey literature references and sources for data https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, F | ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound) |

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit

and standards. First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Creation Date Revision Date Revision Summary Health, Safety and Environmental Department 31-Jul-2014 18-Mar-2024 New emergency telephone response service provider.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

. Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet